Cement & Concrete Composites **13** (1991) 285–288

Index

Index for Volume 13
Bold type is used for contributors to this volume. The suffix e indicates editorial comment; c, a conference; r, a book review. Abbreviations: ASR, alkali–silicate reaction; fr, fibre reinforced; grc, glass fibre reinforced cement; lw, lightweight; PFA, pulverised fuel ash.

Ahmad, Shamin and El-Nawawy, 'Use of treated effluent in concrete mixing in an arid climate', 137–41
Air-entrained concrete
  durability with silica fume, 203–8
Al-Ani, M. N. A. and Hughes, 'PFA concrete mix design for the 1990s', 187–95
Al-Bedawi, Waleed H., Mirza and Al-Noury, 'Temperature effect on strength of mortars and concrete containing blended cements', 197–202
Al-Noury, Soliman, I., Mirza and Al-Bedawi, 'Temperature effect on strength of mortars and concrete containing blended cements', 197–202
Al-Sulaimani, G. J., Basunbul and Mousselhy, 'Shear behaviour of ferrocement box beams', 29–36
Al-Sulaimani, G. J., Basunbul and Saleem, 'Flexural behaviour of ferrocement sandwich panels', 21–8
Al-Tayyib, A. J. and Khan, 'Effect of sulfate ions on the corrosion of rebars embedded in concrete', 123–7
Alkali–aggregate reaction, 227r
Alkali–silica reaction, 61–2r
  control by silica fume and blast furnace slag, 219–25
Alwan, J. M., Naaman and Hansen, 'Pull-out work of steel fibres from cementitious composites: analytical investigations', 247–55
Arakawa, Seiichi, Saito and Kawamura, 'Role of aggregate in the shrinkage of ordinary portland and expansive cement concrete', 115–21
Ash as cement replacement, 171–5
  See also Pulversied fuel ash

Basunbul, I. A., Al-Sulaimani, G. J. and Mousselhy, 'Shear behaviour of ferrocement box beams', 29–36
Basunbul, I. A., Saleem and Al-Sulaimani, 'Flexural behaviour of ferrocement sandwich panels', 21–8
Beams
  lw sandwich, 143–9
  shear behaviour of ferrocement box beams, 29–36
Blast furnace slag
  compressive strength of mortars, 197–202
  control of ASR, 219–25
  foamed lw aggregate, 13–20, 37–48
Book reviews, 61–2r, 151r, 227–8r, 291–2r
Box beams
  shear behaviour, 29–36
Bridge repairs, 64c

Calorimetry
  heat of hydration measurements, 177–85
Carbonate additives to cement, 61r, 163–4e, 165–70
Carrasquillo, Ramon, L. and Freeman, 'Influence of the method of fly ash incorporation on the sulfate resistance of fly ash concrete', 209–17
Cement additives, 61r
  carbonate, 61r, 163–4e, 165–70
Cement-bonded fibreboards, 63–4c
Ceramic composites, 257–63
Chloride
  content in concrete made with effluent, 137–41
  corrosion of reinforcing steel, 123–7
Composite materials
  model for non-linear fracture, 79–86
  numerical simulation of crack propagation, 87–94
  pull-out work of steel fibres, 247–55
Compressive strength
  air-entrained silica fume concrete, 203–8
  concrete made with effluent, 137–41
  high-strength lw concrete, 130–1
  PFA concrete, 187–95
Compressive strength—*contd.*
  temperature effects in mortars and concrete, 197–202
Conferences and symposia
  forthcoming, 67–71c, 155–60c, 161c, 231–5c, 279–83
  reports, 63–5c, 153–4c, 229–30c, 277–8
Corrosion of reinforcing steel by sulphate and chloride, 123–7, 275
Cracking
  ferrocement
    box beams in shear, 29–36
    crack width prediction, 3–12
    in flexure, 13–20
    limit design for cracking moment, 53–5, 57–8
    sandwich panels in flexure, 21–8
    in tension, 37–48
  glass fr/polypropylene fr cement composite, 100–3
  lw sandwich beams, 146–7, 149
  model for non-linear fracture of multi-phase materials, 79–86
  numerical simulation of crack propagation, 87–94
  steel fr concrete in tension, 265–73
Curing conditions
  high-strength lw concrete, 133, 134

Daugherty, Kenneth E. and Ingram, 'A review of limestone additions to portland cement and concrete', 165–70
Deflection
  limit design in ferrocement, 55–7
Desayi, Prakash and El-Kholy, 'Lightweight fibre-reinforced ferrocement in tension', 37–48
Desayi, Prakash and Reddy, 'Strength of lightweight ferrocement in flexure', 13–20
Design
  criteria for structural ferrocement, 3–12
  fatigue design of steel fr concrete, 239–45
  limit states method for ferrocement structures, 49–59

Cement & Concrete Composites (**13**) (1991)—© 1992 Elsevier Science Publishers Ltd, England. Printed in Great Britain

Dimitry, Sid, 'Characterization of reinforced chemically bonded ceramics', 257–63
Donnelly, A., Livesey and Tomlinson, 'Measurement of the heat of hydration of cement', 177–85
Drying shrinkage
  portland and expanding cements, 115–21
Durability, 61–2r
  air-entrained silica fume concrete, 203–8
  concrete made with effluent, 137–41
  silica fume and blast furnace slag concrete, 219–25

Effluent used in concrete, 137–41
El-Kholy, Said A. and Prakash, 'Lightweight fibre-reinforced ferrocement in tension', 37–48
El-Nawawy, Omar A. and Ahmad, 'Use of treated effluent in concrete mixing in an arid climate', 137–41
Elasticity modulus
  high-strength lw concrete, 132–3
Expansive cement
  drying shrinkage of concrete, 115–21

Failure mode
  ferrocement box beams in shear, 29–36
  glass fr/polypropylene fr cement composite, 104–5
  lw sandwich beams, 146–7, 149
  model for multi-phase materials, 79–86
  numerical simulation for quasi-brittle composite, 87–94
  See also Cracking
Fatigue behaviour
  steel fr concrete, 239–45
Ferrocement, 1–2e
  crack width prediction, 3–12
  flexural strength, 13–20, 21–8
  limit states structural design method, 49–59
  lw, 13–20, 37–48
  shear behaviour of box beams, 29–36
  steel stress and crack with prediction, 3–12
  tensile strength, 37–48
Fibre-reinforced cement
  lw ferrocement in tension, 37–48
  polymer fr cements for ceramic composites, 257–63
  pull-out work in steel fr cement composites, 247–55
Fibre-reinforced concrete
  fatigue behaviour of steel fr concrete, 239–45
  polypropylene, 107–14
Fibreboards, 63–4c
Flexural strength
  fatigue behaviour of steel fr concrete, 239–45
Flexural strength—*contd.*
  ferrocement, 13–20, 21–8
  polymer fr ceramic composites, 257–63
Fly ash. *See* Pulverised fuel ash
Fracture. *See* Cracking
Fracture energy evaluation, 87–94
Freeman, Reed B. and Carrasquillo, 'Influence of the method of fly ash incorporation on the sulfate resistance of fly ash concrete', 209–17
Freeze–thaw durability
  air-entrained silica fume concrete, 203–8

Glass fibre reinforcement
  synergism with polypropylene network reinforcement, 95–106
Glass fr cement, 77–8e, 151r
Grading modulus
  PFA concrete, 187–95

Hannant, D. J. and Xu, 'Synergistic interaction between fibrillated polypropylene networks and glass fibres in a cement-based composite', 95–106
Hansen, Will, Alwan and Naaman, 'Pull-out work of steel fibres from cementitious composites: analytical investigations', 247–55
Hansen, Will and Tjiptobroto, 'Mechanism for tensile strain hardening in high performance cement-based fiber reinforced composites', 265–73
Heat of hydration of cements, 177–85
High-strength concrete
  from lw aggregate, 129–35
Hughes, B. P. and Al-Ani, 'PFA concrete mix design for the 1990s', 187–95
Hussain, S. Ehtesham and Rasheeduzzafar, 'Effect of microsilica and blast furnace slag on pore solution composition and alkali–silica reaction', 219–25
Hwa, Tay Joo and Kiat, 'Use of ash derived from refuse incineration as a partial replacement of cement', 171–5

Ingram, Kevin D. and Daugherty, 'A review of limestone additions to portland cement and concrete', 165–70

Jenq, Yeou-Shang, 'Non-linear fracture behavior of multi-phase materials', 79–86

Kawamura, Mitsunori, Saito and Arakawa, 'Role of aggregate in the shrinkage of ordinary portland and expansive cement concrete', 115–21
Khan, M. Shamim and Al-Tayyib, 'Effect of sulfate ions on the corrosion of rebars embedded in concrete', 123–7
Kiat, Cheong Hee and Hwa, 'Use of ash derived from refuse incineration as a partial replacement of cement', 171–5
Kouiyali, K. and Sabir, 'Freeze–thaw durability of air-entrained CSF concrete', 203–8

Lightweight aggregate
  effect on drying shrinkage of concrete, 115–21
  expanded clay in sandwich beams, 143–9
  ferrocement containing blast-furnace slag, 13–20
  fr ferrocement containing blast-furnace slag, 37–48, 177–8
  high-strength concrete, 129–35
Limestone additives to cement, 61r, 163–4e, 165–70
Limit states design method, 49–59
Livesey, P., Donnelly and Tomlinson, 'Measurement of the heat of hydration of cement', 177–85
Load–deflection curves
  fatigue behaviour of steel fr concrete, 239–45
  ferrocement box beams in shear, 31–3
  ferrocement sandwich panels in flexure, 25, 26–7
  lw sandwich beams, 146–8
  non-linear fracture modes of multi-phase materials, 80–6

Meamarian, N. and Nanni, 'Distribution and opening of fibrillated polypropylene fibers in concrete', 107–14
Mesh reinforcement
  effect on ferrocement strength, 13–20, 29–36, 37–48
Migdady, Ezzddeen and Smadi, 'Properties of high strength tuff lightweight aggregate concrete', 129–35
Mirza, Wajahat, Al-Noury and Al-Bedawi, 'Temperature effect on strength of mortars and concrete containing blended cements', 197–202
Mix design
  PFA concrete, 187–95
Mixing methods
  effect on sulphate resistance, 209–17
  efficiency of mixers with polypropylene fr concrete, 107–14

Modelling
crack propagation in quasi-brittle composites, 87–94
mortar–concrete composite structures, 285–9
non-linear fracture of multi-phase materials, 79–86
pull-out process in fr cement composites, 247–55
steel stress in ferrocement, 3–12
Mortar
lw containing blast-furnace slag, 13–20
Mousselhy, E. A., Al-Sulaimani, G. J. and Basunbul, 'Shear behaviour of ferrocement box beams', 29–36

Naaman, A. E., Alwan and Hansen, 'Pull-out work of steel fibres from cementitious composites: analytical investigations', 247–55
Nanni, Antonio, 'Fatigue behavior of steel fiber reinforced concrete', 239–45
Nanni, Antonio and Meamarian, 'Distribution and opening of fibrillated polypropylene fibers in concrete', 107–14
Natural fr building materials, 228r
Natural polymers in construction, 237–8e

Particle size distribution
PFA concrete, 187–95
Pavement repairs, 65c
Petrography applied to concrete, 61–2r
Polymers, 237–8e
polymer concrete composites, 229–30c, 277–8
polymer fr cements for ceramic composites, 257–63
Polypropylene
behaviour of fibre reinforcement in concrete, 107–14
synergism of network reinforcement with glass, 95–106
Porltand cement
carbonate additives, 61r, 163–4e, 165–70
drying shrinkage of concrete, 115–21
heat of hydration, 177–85
Pozzolans
cement fillers, 163–4e
foamed blast furnace slag lw aggregate, 13–20, 37–48
heat of hydration of PFA cement, 177–85
sulphate resistance of fly ash concrete, 209–17
temperature effects on compressive strength of mortars, 197–202
Pull-out process
steel fr cement composites, 247–55
Pulverised fuel ash
effect on heat of hydration of cement, 177–85
fly ash concrete, 187–95, 276
method of incorporation and sulphate resistance, 209–17

Rasheeduzzafar and Hussain, 'Effect of microsilica and blast furnace slag on pore solution composition and alkali–silica reaction', 219–25
Reddy, Veerappa and Desayi, 'Strength of lightweight ferrocement in flexure', 13–20
Reinforced concrete
corrosion, 123–7, 275
lw sandwich beams, 143–9
See also Ferrocement; Steel reinforcement
Repair of concrete, 64–5c, 293–4c
Research, 153–4c
Rode, U. and Schorn, 'Numerical simulation of crack propagation from microcracking to fracture', 87–94

Sabir, B. B. and Kouyiali, 'Freeze–thaw durability of air-entrained CSF concrete', 203–8
Saito, Mitsuru, Kawamura and Arakawa, 'Role of aggregate in the shrinkage of ordinary portland and expansive cement concrete', 115–21
Saleem, Mohammed, Basunbul and Al-Sulaimani, 'Flexural behaviour of ferrocement sandwich panels', 21–8
Sandwich construction
beams, 143–9
panels, 21–8
Schorn, H. and Rode, 'Numerical simulation of crack propagation from microcracking to fracture', 87–94
Setting properties
portland cement–limestone systems, 166–7
Sewage effluent used in concrete, 137–41
Shear stress
limit design in ferrocement, 52–3, 57
Shendy, M. E., 'A comparative study of LECA concrete sandwich beams with and without core reinforcement', 143–9
Shrinkage. *See* Drying shrinkage
Silica fume
control of ASR, 219–25
durability of air-entrained concrete, 203–8
temperature effect on compressive strength of mortars, 197–202
Singh, G. and Xiong, 'How reliable and important is the prediction of crack width in ferrocement in direct tension?' 3–12
Smadi, Mohammad and Migdady, 'Properties of high strength tuff lightweight aggregate concrete', 129–35
Steel fibre reinforcement fatigue behaviour of steel fr concrete, 239–45
pull-out work in cement composites, 247–55
Steel reinforcement
corrosion, 123–7, 291r
stress in ferrocement, 3–12
Strain
due to shrinkage in aggregate particles, 116–17, 119–20
strain hardening of steel fr concrete, 265–73
Stress–strain behaviour
crack width prediction in ferrocement, 3–12
glass fr/polypropylene fr cement, 95–106
lw ferrocement in tension, 37–48
numerical simulation for quasi-brittle composites, 87–94
Sulphate
attack mechanisms in fly ash concrete, 207–19
corrosion of reinforcing steel, 123–7
Sulphate content
cements with added carbonate, 166
concrete made with effluent, 137–41
Sulphate resistance
cements with added carbonate, 168
effects of method of fly ash incorporation in concrete, 209–17
heat of hydration of sulphate-resistant cement, 177–85

Tatsa, E. A., 'Limit states design of ferrocement components in bending', 49–59
Temperature effects
compressive strength of mortars and concrete, 197–202
Tensile behaviour
crack width prediction in ferrocement, 3–12
glass fr/polypropylene fr cement, 95–106
split-tension fatigue behaviour of steel fr concrete, 239–45
strain hardening of fr concrete, 265–73
Tensile strength
concrete made with effluent, 137–41
high-strength lw concrete, 131–2
lw fr ferrocement, 37–48
Test methods
heat of hydration of cements, 177–85
Tjiptobroto, Prijatmadi and Hansen, 'Mechanism for tensile strain hardening in high performance cemet-based fiber reinforced composites', 265–73
Tomlinson, C., Donnelly and Livesey, 'Measurement of the heat of hydration of cement', 177–85

Toughness
  glass fr/polypropylene fr cement, 103–4
  steel fr cement composites, 247–55
Tuff aggregate
  high-strength concrete, 129–35
  temperature effect on compressive strength of mortars, 197–202

Vegetable fr building materials, 228r

Waste materials
  ash as cement replacement in concrete, 171–5
  water effluent use in concrete, 137–41
Water
  content in portland cement–limestone systems, 167–8
  effluent used in concrete, 137–41
  heat of hydration measurement, 177–85
Wood composites, 63–4c

Workability
  PFA concrete, 187–95

Xiong, G. J. and Singh, 'How reliable and important is the prediction of crack width in ferrocement in direct tension?' 3–12
Xu, Guodong and Hannant, 'Synergistic interaction between fibrillated polypropylene networks and glass fibres in a cement-based composite', 95–106